Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21220	(plural$4 or multiple$2) near3 (websites or page$2 or web$page$2 or webpage$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:16
L2	47	"common database" with (websites or page$2 or web$page$2 or webpage$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:17
L3	62	"common database" with search$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:17
L4	4076	2 abd 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:17
L5	2	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:18
L6	5993	common near3 (database or data$base$2 or "data bases" or "data base")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 08:20

L7	308	1 and 6	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/03/15 08:19
L8	335	(common near3 (database or data$base$2 or "data bases" or "data base")) with (search$3 or brows$3 or navigat$3)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/03/15 11:35
L9	35	7 and 8	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/03/15 08:21
L10	30	((common near3 (database or data$base$2 or "data bases" or "data base")) with (search$3 or brows$3 or navigat$3))same (websites or page$2 or web$page$2 or webpage$2)	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/03/15 08:47
L11	16	10 not 9	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/03/15 10:49
L12	2	"6477536".pn.	US-PGPU B; USPAT; EPO; JPO; DERWEN T; IBM_TDB	OR	OFF	2005/03/15 10:49

L13	1	12 and format$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 10:49
L14	1	(common near3 (database or data$base$2 or "data bases" or "data base")) with (search$3 or brows$3 or navigat$3) with random$3 with select$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:40
L15	2	(common near3 (database or data$base$2 or "data bases" or "data base")) with (search$3 or brows$3 or navigat$3) same (random$3 with select$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:41
L16	34	(common near3 (database or data$base$2 or "data bases" or "data base")) with (search$3 or brows$3 or navigat$3) and (random$3 with select$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:41
L17	10	16 and inclusive$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:44
L18	1	17 and exclusive$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:42

L19	127	(exclusive$2 with inclusive$2) and (random$2 with select$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:45
L20	1	19 and "nth database"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:45
L21	25	19 and profile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:45
L22	3	19 and (search$3 with profile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/15 11:46